SPA & POOLSIDE
COLLECTION



OUTDOOR AUDIO & LIGHTING SOLUTIONS

AQUATIC AV



QUALITY & INNOVATION

AQUATIC AV QUALITY

Aquatic AV began designing and manufacturing specialized audio visual products in 2005, creating a niche market and quickly becoming the benchmark standard within the spa industry. Since that time, Aquatic AV has continued to manufacture only the highest quality AV products designed for prolonged use and exposure to the toughest environmental conditions.

HIGH QUALITY GUARANTEE

We use premium components for exceptional audio in any condition, backed by a standard 2-year manufacturer's warranty.

ENVIRONMENT PROTECTION

Our products are rigorously tested for resistance to chemicals, water, UV, and salt/fog corrosion to ensure uncompromised performance.

AQUATIC AV INNOVATION

Aquatic AV has always been proud to develop truly innovative products and technologies to improve the spa experience.

DSPEQ

DSP EQ enables preset modes like Pop, Classical, and Rock or manual bass and treble adjustments for customized listening.

IP65

IP65 RATING provides waterproof, UV, and salt/fog resistance, for reliable performance even in the toughest conditions.

HALO AERIAL TECHNOLOGY

HALO AERIAL TECHNOLOGY strengthens and improves the Bluetooth signal and range for superior audio performance.

ELECTRONIC CROSSOVER

ELECTRONIC CROSSOVER automatically balances speaker and subwoofer outputs for perfect sound quality across all frequencies.

12V TRIGGERS

12V TRIGGERS allow control of up to two external devices, such as amplifiers or lighting, directly from the stereo or remote control.

dab+

DAB+ READY connect a DAB+ Digital Radio Receiver to access hundreds of DAB+ digital radio stations (sold separately).

SPA SPEAKERS SPA-GRADE SPEAKERS

From compact 1" and 3" models to the high-performance Economy 6.5" speakers, our speakers are designed to for all types and styles of spa and hot tub installations.



1" Full Range Speaker | SP116

- 1" Mid-High Range Speaker
- 250-20,000Hz Frequency Response
- 5W Max Power / 3W RMS / 10 Ohm Imp.



1" Grill SG101



2" Universal Speaker | SP326

- 2" Full Range Speaker
- 200-20,000Hz Frequency Response
- 60W Max Power / 30W RMS / 4 Ohm Imp.



2" Grill SG202



2" Slim Coaxial Speaker | SP230

- 2" Coaxial Speaker, Slim Profile
- 200-20,000Hz Frequency Response
- 60W Max Power / 30W RMS / 4 Ohm Imp.



2" Grill SG220



3" Universal Speaker | SP304

- 3" Full Range Speaker + TE Connector
- 120-20,000Hz Frequency Response
- 60W Max Power / 30W RMS / 4 Ohm Imp.



3" Grill SG300



3" Grill SG302



3" 4S Speaker | SP314

- 3" Full Range Speaker + Spade Connector
- 50-55,000Hz Frequency Response
- 60W Max Power / 30W RMS / 4 Ohm Imp.



3" Grill (Included) SG101



3" Coaxial Speaker | SP315

- 3" Full Range Coaxial Speaker
- 120-20,000Hz Frequency Response
- 45W Max Power / 30W RMS / 4 Ohm Imp.



3" Grill SG300



3" Grill SG302



3" Slim Coaxial Speaker | SP330

- 3" Coaxial Speaker, Slim Profile
- 120-20,000Hz Frequency Response
- 45W Max Power / 30W RMS / 4 Ohm Imp.



3" Grill SG330



Transducer Two | TD100

- Turns Any Surface Into A Speaker
- 120-20,000Hz Frequency Response
- 50W Max Power / 25W RMS / 4 Ohm Imp.



Mounting Plate TD099

ECONOMY

ECONOMY SERIES | 6.5" SPA SPEAKERS

- 6.5" Full Range Coaxial Speaker
- 83-20,000Hz Frequency Response
- 80W Max Power / 40W RMS
- 4 Ohm Impedance



MATTE BLACK | EC121



GLOSS WHITE | EC122

RGB SPA SPEAKERS SPA-GRADE SPEAKERS

The PRO Sport and PRO Classic 6.5" RGB speakers deliver high-quality sound and feature RGB cone illumination, allowing for customizable lighting through Aquatic AV's RGB Controller.



PRO SPORT SERIES | 6.5" RGB SPA SPEAKERS

- 6.5" RGB Illuminated Cone
- 60-20,000Hz Frequency Response
- 120W Max Power / 60W RMS
- 4 Ohm Impedance



MATTE BLACK | PX312



PRO CLASSIC SERIES | 6.5" RGB SPA SPEAKERS

- 6.5" RGB Illuminated Cone
- 60-20,000Hz Frequency Response
- 120W Max Power / 60W RMS
- 4 Ohm Impedance



MATTE BLACK | PC412



GLOSS WHITE | PC410

CUSTOMIZE YOUR STYLE


RGB CONTROLLER | RG155R1

Powerful 10A RGB controller with 4 RGB/LED outputs for vivid, synchronized lighting. Water-resistant and app-controlled, with voice recognition and built-in music sync. Expandable with extensions and adaptors for larger setups (sold separately).

TYPE Water-Resistant 12V RGB Controller	**TOTAL OUTPUT** 10A (Current); 60W (Power)
OUTPUTS **4x** RGB/LED Outputs	**INPUTS** **1x** Built-In Microphone

Download on the App Store

GET IT ON Google Play



- ✓ BLUETOOTH CONNECTIVITY
- ✓ USER-FRIENDLY MOBILE APP
- ✓ VOICE RECOGNITION ASSISTANT
- ✓ DURABLE & WEATHER-RESISTANT



MOUNTED STEREOS

CP6 COMPACT MARINE STEREO | CP611



The CP6 has a compact design, perfect for installations with limited space. Despite its petite size, the power and functionality expected from Aquatic AV is not compromised.

- 1x pair RCA pre-outs (2V)
- 1x pair RCA auxiliary inputs
- 1x 3.5mm jack input
- 4 & 2 Ohm stable
- Blue Monochrome TFT display
- Rotary Knob control

12V TRIGGERS · USB PORT · AM/FM RADIO · IP65 · dab+ · 288W POWER · Bluetooth · DSPEQ



MP6 SHALLOW MOUNT STEREO | MP611

The MP6 is designed to fit standard DIN-size mounting holes with an ultra-shallow mounting depth of just 107mm, all while being loaded with advanced features.

- 288 max power (4x 72W)
- 4 & 2 Ohm stable
- 1x RCA sub-out
- 1x 3.5mm jack input
- 1x pair RCA auxiliary inputs
- 1x pair RCA pre-outs (2V)
- Blue Monochrome TFT display
- Rotary Knob control
- Variable brightness

12V TRIGGERS · USB PORT · AM/FM RADIO · IP65 · dab+ · 288W POWER · Bluetooth · DSPEQ

COMPACT BLUETOOTH STEREO | BT144



The BT144 Compact Bluetooth Stereo saves space by omitting a traditional display while increasing its overall durability with waterproof backlit buttons to make music navigation as user friendly as possible.

- 100W max power (4 x 25W)
- 1x pair RCA pre-outs (2V)
- Sub Electronic crossover
- 4 Ohm stable
- Compact screen-less design
- Backlit button navigation

12V TRIGGERS · IP65 · Bluetooth · ELECTRONIC CROSSOVER



SPA STEREOS & SUBWOOFERS

SWA6 SERIES AMPLIFIED SUBWOOFER AUDIO SYSTEMS

The SWA6 Series Combined Stereo Subwoofer Systems include a built-in 288W amplifier with full-range speaker outputs. Simply connect speakers directly to the subwoofer and pair a Bluetooth device. No additional stereo or amplifier required!



SWA6+ STEREO SUBWOOFER | SW613

BUILT-IN AMPLIFIER

- Bluetooth Enabled
- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- Electronic Crossover
- 4 & 2 Ohm Stable
- USB Playback + Device Charging
- 125-20kHz Frequency Response
- RF6 Remote Control (Included)

SUBWOOFER

- 8" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response



SWA6 STEREO SUBWOOFER | SW620

BUILT-IN AMPLIFIER

- Bluetooth Enabled
- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- Electronic Crossover
- 4 & 2 Ohm Stable
- USB Playback + Device Charging
- 125-20kHz Frequency Response
- RF6 Remote Control Ready (Not Included)

SUBWOOFER

- 8" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response



SWA6+ MINI STEREO SUBWOOFER | SW632

BUILT-IN AMPLIFIER

- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- Electronic Crossover
- 4 & 2 Ohm Stable
- 125-20kHz Frequency Response
- 12V 60W Power Supply (Included)
- RF6 Remote Control Ready (Included)

SUBWOOFER

- 5" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response



SWA6 MINI STEREO SUBWOOFER | SW630

BUILT-IN AMPLIFIER

- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- Electronic Crossover
- 4 & 2 Ohm Stable
- 125-20kHz Frequency Response
- 12V 60W Power Supply (Included)
- RF6 Remote Control Ready (Not Included)

SUBWOOFER

- 5" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response

BLUECUBE6 SERIES HIDE-AWAY MARINE STEREOS

The BC6 Series Hide-Away Stereos feature a discreet, waterproof (IP65) design that stays out of sight while delivering high-quality, relaxing sound.



BLUECUBE6 BASIC | BC631

- Bluetooth Enabled
- 2x (2V) RCA Outputs
- 2x (2V) RCA Inputs
- 288W Max Power (4x 72W)
- 4 & 2 Ohm Stable
- 12VDC Input
- Sub Electronic Crossover



HALO AERIAL TECHNOLOGY

BLUECUBE6 MINI | BC313

- Bluetooth Enabled
- 4 & 2 Ohm Stable
- Sub Electronic Crossover
- 1x 3.5mm Jack Aux Input
- 288W Max Power (4x 72W)
- Remote Control Ready *(RF6 Not Included)*

Gain Access To Even More Features Such As, DSP EQ, Virtual Bass (VBass), Bass/Treble Control, And More By Pairing The BC6 Mini With The RF6 Remote Kit (Sold Separately).

SPA-GRADE SUBWOOFERS PASSIVE SUBWOOFERS

Our passive subwoofers deliver a low-frequency output and require external amplification via a stereo or dedicated amp.



SWP8 SUBWOOFER | SP116

- 8” Cone & DVC (Dual Voice Coil)
- 50-55,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass



COMPACT SUBWOOFER | SW102

- 5.25” Cone & DVC (Dual Voice Coil)
- 50-55,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass



COMPACT SUBWOOFER | SW640


- 6.25” Cone & DVC (Dual Voice Coil)
- 80-85,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass

SPA-GRADE SUBWOOFERS REMOTES



RF6 REMOTE CONTROL | RF612

- Wireless Remote Control With USB Charging
- **Compatible With Aquatic AV 6-Series Products:** BLUECUBE6 Series, SWA6 Series, MP6, And CP6



SPA LIGHTING

PHOTOSENSOR & LED LIGHTING SYSTEM LK101 & LK102

Automatically adjust outdoor lighting based on ambient conditions, for perfect illumination day or night. Built for spas, boats, marinas, and outdoor living spaces.



LK101 BLUE LEDS | **LK102** WHITE LEDS

Products Included:



Photosensor | LS101
- Auto Switch On At Low Ambient Light
- 9-12V AC/DC




Photosensor Control | L0101
- 153 MM Power Cable
- 9-12V AC/DC




LEDs/Mounting Bezel | MULTI
- LI101 (White), LI102 (Blue)
- Washer (LP001), Nut (LP002), Holder/Screw (LP003)

SPA LIGHTING NEON FLEX LED LIGHT STRIPS


Our Neon Flex LED Strips feature a flexible silicone design, quick installation with an optional LED Rail, photosensor compatibility for automatic adjustment, and IP66 Rated weatherproof protection.



RGB TOP BEND | LI30X
- For Vertical Curves Or Architectural Details
- UL, CE, RoHS Certifications
- Available In Two IP Rating Options: IP66 And IP68
- Compatible With PVC LED Rail (LP004)



RGB SIDE BEND | LI34X
- For Horizontal Curves Or Integration Along Walls/Paths
- UL, CE, RoHS Certifications
- Larger Light Profile
- Compatible With Aluminum LED Rail (LP013)



SINGLE COLOR TOP BEND | LI2XX
- For Vertical Curves Or Architectural Details
- UL, CE, RoHS Certifications
- Various Color Temperature Options
- Compatible With Aluminum LED Rail (LP013)

SPA LIGHTING SPA RGB LED LIGHTING SYSTEM

Build your RGB LED Lighting System with endless configurations. Start by selecting a controller (RG550 or RG520) to suit your needs, then choose your preferred LEDs—Light Heads, Bullet Lights, or Light Strips.

Controllers



RGB 50-Point Control Box

RG550

LED OUTPUT CONNECTORS	POWER INPUT CONNECTORS
3x 5 IN Male RGB Outputs	**1x** 60 IN Male Spade Connectors
INPUT VOLTAGE	**OUTPUT VOLTAGE**
12VDC/AC	12VDC



RGB Light Head 20-Point Controller

RG520

LED OUTPUT CONNECTORS	POWER INPUT CONNECTORS
1x 36 IN Male RGB Outputs	**1x** 60 IN Male Spade Connectors
INPUT VOLTAGE	**OUTPUT VOLTAGE**
12VDC/AC	12VDC

Lighting Options



RGB Light Head Responder

LI500

LED TYPE
1x 6 RGB SMD LED Head
OUTPUTS
2x 72 IN Male/Female RGB Outputs



Dual Point Of Light (2 LEDs)

LI520


LED TYPE
2x 26 IN Frosted RGB LED Bulbs
OUTPUTS
2x 26 IN Male/Female RGB Outputs



Quad Point Of Light (4 LEDs)

LI540

LED TYPE
2x 26 IN Frosted RGB LED Bulbs **2x** 39 IN Frosted RGB LED Bulbs
OUTPUTS
2x 26 IN Male/Female RGB Outputs



Hex Point Of Light (6 LEDs)

LI560

LED TYPE
2x 54 IN Frosted RGB LED Bulbs **4x** 49 IN Frosted RGB LED Bulbs
OUTPUTS
2x 49 IN Male/Female RGB Outputs

FOR MORE INFORMATION OR CUSTOM INSTALLATION, PLEASE CONTACT US.

SPA ACCESSORIES POWER SUPPLY

Our waterproof, dual-voltage 100-240V AC power supplies include four models with power input auto-sensing and 50/60Hz compatibility to fit common installations. Each model offers short circuit, over voltage, over temperature, and over current protection, with UL, CE, and CSA approvals.



Regulated 13V Power Supply

PS112 (AUDIO)

OUTPUT VOLTAGE
13VDC Regulated

DIMENSIONS
49 MM X 234 MM X 110 MM



Regulated 12V Power Supply

PS113 (AUDIO)

OUTPUT VOLTAGE
12VDC Regulated

DIMENSIONS
51 MM X 160 MM X 38 MM



Regulated 9V Power Supply

PS045 (LED)

OUTPUT VOLTAGE
9VDC Regulated

DIMENSIONS
51 MM X 160 MM X 38 MM




Regulated 12V Power Supply

PS060 (LED)

OUTPUT VOLTAGE
12VDC Regulated

DIMENSIONS
51 MM X 160 MM X 38 MM


SPA ACCESSORIES ADAPTORS & HARNESSES



Stereo Harness

HN200

TYPE
20 CM Wiring Harness For Spa Stereos



BT Module

BT101

TYPE
Halo Aerial Bluetooth Module



AM/FM Antenna

AQ-ANT-1

TYPE
135 CM Di-Pole Antenna, For Spa Stereos



DAB Adaptor

DB100

TYPE
DAB+ Digital Radio Aerial Connector, Includes DAB+ Receiver And Antenna



Universal Harness

HN330

TYPE
Connects 4 Speakers, A Passive Subwoofer, And Power Supply



LOOKING FOR MORE

LIGHTING SOLUTIONS?

THE LIGHTWAVE COLLECTION

CUSTOMIZABLE OUTDOOR LIGHTING SOLUTIONS

AQUATIC AV

PLEASE VISIT OUR WEBSITE TO VIEW THE FULL RANGE OF PRODUCTS AVAILABLE

AQUATICAV.COM

AQUATIC AV

282 Kinney Drive San Jose, CA 95112 USA

USA & Canada: 1 877 579 2782
International: +1 408 559 1668

sales@aquaticav.com
www.aquaticav.com

V1-1025