

An aerial photograph of a sleek, white motor yacht on a deep blue sea. The yacht's deck is visible, showing a helm station with a white seat and a wooden floor. The water's surface is textured with small waves and ripples.

AQUATIC AV

MARINE COLLECTION

MARINE-GRADE AUDIO & LIGHTING SOLUTIONS



THE MARINE COLLECTION

AQUATIC AV QUALITY

The Marine Collection combines rugged durability with premium sound and lighting, making it the ideal choice for any watercraft. From fishing vessels to motorboats, these systems deliver reliable performance and endless enjoyment.

HIGH QUALITY GUARANTEE

We use premium components for exceptional audio in any condition, backed by a standard 2-year manufacturer's warranty.

ENVIRONMENT PROTECTION

Our products are rigorously tested for resistance to chemicals, water, UV, and salt/fog corrosion to ensure uncompromised performance.

AQUATIC AV INNOVATION

Aquatic AV has always been proud to develop truly innovative products and technologies to improve the spa experience.



DSP EQ enables preset modes like Pop, Classical, and Rock or manual bass and treble adjustments for customized listening.

IP65

IP RATING provides waterproof, UV, and salt/fog resistance, for reliable performance even in the toughest conditions.



HALO AERIAL TECHNOLOGY strengthens and improves the Bluetooth signal and range for superior audio performance.



ELECTRONIC CROSSOVER automatically balances speaker and subwoofer outputs for perfect sound quality across all frequencies.



12V TRIGGERS allow control of up to two external devices, such as amplifiers or lighting, directly from the stereo or remote control.



DAB+ READY connect a DAB+ Digital Radio Receiver to access hundreds of DAB+ digital radio stations (sold separately).

CP7 MARINE HEAD UNIT

COMMAND THE WAVES — COMPACT, POWERFUL, AND BUILT TO LAST



CP7 | MARINE HEAD UNIT STEREO

The CP7 brings high-performance audio to every journey on the water. Its intuitive controls, waterproof front panel, and vibrant color display make operation effortless — even under full sunlight. From its precision electronics to its rugged housing, every component is designed to deliver reliability, clarity, and control in any environment.

- 3" IPS TFT Display
- 2x 12VDC Triggers
- Day/Night Mode & Dimmer Control
- Remote control compatible
- Rear USB/AUX Input
- 3 Zones Low Level RCA Output (4V)
- Camera Input
- WORKS WITH:
WR7 Wired Remote
- 288 max power (4x 72W)
- Subwoofer Volume Control
- DAB+ ready (*sold separately*)



 12V TRIGGERS

 USB PORT

 AM/FM RADIO

 IP65

 dab+

 288W POWER

 Bluetooth™

 DSPEQ



MOUNTED MARINE STEREO

CP6 COMPACT MARINE STEREO | CP611

The CP6 has a compact design, perfect for installations with limited space. Despite its petite size, the power and functionality expected from Aquatic AV is not compromised.

- 1x pair RCA pre-outs (2V)
- 1x 3.5mm jack input
- Blue Monochrome TFT display
- 1x pair RCA auxiliary inputs
- 4 & 2 Ohm stable
- Rotary Knob control



MP6 SHALLOW MOUNT STEREO | MP600

The MP6 is designed to fit standard DIN-size mounting holes with an ultra-shallow mounting depth of just 107mm, all while being loaded with advanced features.

- 288 max power (4x 72W)
- Blue Monochrome TFT display
- 1x 3.5mm jack input
- 4 & 2 Ohm stable
- Rotary Knob control
- 1x pair RCA auxiliary inputs
- 1x pair RCA pre-outs (2V)
- Variable brightness
- Works with **WR7 Remote**



MARINE COLLECTION | MOUNTED MARINE STEREO

GPI | GAUGE SIZE STEREO

Experience superior audio with the compact GP1 Marine Stereo, designed to fit perfectly into a standard dash gauge space. Offering high-end audio quality and effortless installation.

- 1x pair RCA pre-outs (2V)
- 1x 3.5mm jack input
- Blue Monochrome TFT display
- 1x pair RCA auxiliary inputs
- 4 & 2 Ohm stable
- Rotary Knob control



MP5+ MARINE STEREO | MP521

With all the features of the MP5 base model plus some additional perks including a color LCD display and search feature accessible when connected to an Apple product or USB drive, the MP5+ Stereo is an industry leader in watertight audio solutions.

- 1x RCA sub-out
- 2x pair RCA pre-outs (4V)
- 1x pair RCA auxiliary inputs
- 1x 3.5mm jack input
- 3" Color LCD Display
- 4 & 2 Ohm stable
- Apple Album Artwork Display
- Variable brightness
- Dual Zone, Dual Source
- Works with **WR5 Remote**



COMPACT BLUETOOTH STEREO | BT144

The BT144 Compact Bluetooth Stereo saves space by omitting a traditional display while increasing its overall durability with waterproof backlit buttons to make music navigation as user friendly as possible.

- 100W max power (4 x 25W)
- 2x 12VDC Triggers
- Compact screen-less design
- 1x pair RCA pre-outs (2V)
- 4 Ohm stable
- Backlit button navigation



MARINE COLLECTION | STEREO & SUBWOOFERS

SWA6 SERIES AMPLIFIED SUBWOOFER AUDIO SYSTEMS

The SWA6 Series Combined Stereo Subwoofer Systems include a built-in 288W amplifier with full-range speaker outputs. Simply connect speakers directly to the subwoofer and pair a Bluetooth device. No additional stereo or amplifier required!



SWA6+ STEREO SUBWOOFER | SW620

BUILT-IN AMPLIFIER

- Bluetooth Enabled
- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- 2x 12VDC Triggers
- Electronic Crossover
- 4 & 2 Ohm Stable
- USB Playback + Device Charging
- 125-20kHz Frequency Response
- RF6 Remote Control (Included)
- FM Radio

SUBWOOFER

- 8" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response



SWA6 STEREO SUBWOOFER | SW612

BUILT-IN AMPLIFIER

- Bluetooth Enabled
- 4x Speaker Outputs
- 288W Max Power
- 12VDC Input
- 2x RCA Inputs
- Electronic Crossover
- 4 & 2 Ohm Stable
- USB Playback + Device Charging
- 125-20kHz Frequency Response
- RF6 Remote Control Ready (Not Included)

SUBWOOFER

- 8" Cone
- Tuned Port
- 144W Max Power
- 50-125Hz Freq. Response

BLUECUBE6 SERIES HIDE-AWAY MARINE STEREO

The BC6 Series Hide-Away Marine Stereos offer a discreet, waterproof (IP65 Rating) design. Once installed, the stereo is completely out-of-sight and ready to provide a high-quality and relaxing listening experience without interfering with the aesthetic of its environment.



BLUECUBE6 BASIC | BC631

- Bluetooth Enabled
- 2x (2V) RCA Outputs
- 2x (2V) RCA Inputs
- 288W Max Power (4x 72W)
- 4 & 2 Ohm Stable
- 12VDC Input
- Sub Electronic Crossover



BLUECUBE6 MINI | BC313

- Bluetooth Enabled
- 4 & 2 Ohm Stable
- Sub Electronic Crossover
- 1x 3.5mm Jack Aux Input
- 288W Max Power (4x 72W)
- Remote Control Ready (RF6 Not Included)



Gain Access To Even More Features Such As, DSP EQ, Virtual Bass (VBass), Bass/Treble Control, And More By Pairing The BC6 Mini With The RF6 Remote Kit (Sold Separately).

MARINE COLLECTION | AMPLIFIERS & PASSIVE SUBWOOFERS

MARINE-GRADE AMPLIFIERS SHOCKWAVE TECHNOLOGY



AD1200.4 | 4 CHANNEL AMPLIFIER

- 1200W Max Power, 4x 300W (**2Ω** Bridged)
- 4x 190W (**4Ω**) | 4x 300W (**2Ω**)
- 20-20kHz Frequency Response
- High/Low Input Modes



AD600.5 | 5/4/3 CHANNEL AMPLIFIER

- 600W Max Power, 2x 300W (**4Ω** Bridged)
- 4x 50W + 1x 200W (**4Ω**) | 4x 75W + 1x 300W (**2Ω**)
- 10-20kHz Frequency Response
- 5x RCA Inputs + 5x Speaker Inputs



AD500.4 | 4/3/2 CHANNEL AMPLIFIER

- 600W Max Power, 2x 300W (**4Ω** Bridged)
- 4x 100W (**4Ω**) | 4x 150W (**2Ω**)
- 20-20kHz Frequency Response
- 4x Low-Level RCA Inputs



AD300 | 2 CHANNEL AMPLIFIER

- 300W Max Power, 1x 300W (**4Ω** Bridged)
- 2x 100W (**4Ω**) | 2x 150W (**2Ω**)
- 10-45kHz Frequency Response
- 2x RCA Inputs

MARINE-GRADE SUBWOOFERS PASSIVE SUBWOOFERS



SWP8 SUBWOOFER | SW501

- 8" Cone & DVC (Dual Voice Coil)
- 50-55,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass



COMPACT SUBWOOFER | SW102

- 5.25" Cone & DVC (Dual Voice Coil)
- 50-55,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass



COMPACT SUBWOOFER | SW640

- 6.25" Cone & DVC (Dual Voice Coil)
- 80-5,000Hz Frequency Response
- 100W Max Power
- 4 Ohm Impedance
- Ported Enclosure For Enhanced Bass



MARINE SPEAKERS & SUBWOOFERS

RGB CONTROLLER | RG155R1

Powerful 10A RGB controller with 4 RGB/LED outputs for vivid, synchronized lighting. Water-resistant and app-controlled, with voice recognition and built-in music sync. Expandable with extensions and adaptors for larger setups (sold separately).

TYPE Water-Resistant 12V RGB Controller	TOTAL OUTPUT 10A (Current); 60W (Power)
OUTPUTS 4x RGB/LED Outputs	INPUTS 1x Built-In Microphone



- ✓ BLUETOOTH CONNECTIVITY
- ✓ USER-FRIENDLY MOBILE APP

- ✓ VOICE RECOGNITION ASSISTANT
- ✓ DURABLE & WEATHER-RESISTANT



CUSTOMIZE YOUR STYLE

MARINE COLLECTION | SPEAKERS & SUBWOOFERS

PRO SPORT | 6.5" RGB SPEAKERS

- 6.5" RGB Illuminated Cone
- 120W Max Power / 60W RMS
- 60-20kHz Frequency Response
- 4 Ohm Impedance



BLACK | PX312

PRO SPORT | 10" RGB SUBWOOFER

- 10" RGB Illuminated Cone
- 400W Max Power / 300W RMS
- Up To 10kHz Frequency Response
- 4 Ohm Impedance



BLACK | PX212

ELITE SERIES | 6.5" RGB SPEAKERS

- 6.5" RGB Illuminated Cone
- 240W Max Power / 120W RMS
- 55-20kHz Frequency Response
- 4 Ohm Impedance



WHITE | EL423



BLACK | EL424

ELITE SERIES | 10" RGB SUBWOOFER

- 10" RGB Illuminated Cone
- 600W Max Power / 300W RMS
- 51-500Hz Frequency Response
- 4 Ohm Impedance



WHITE | EL411



BLACK | EL412

PRO CLASSIC | 6.5" RGB SPEAKERS

- 6.5" RGB Illuminated Cone
- 120W Max Power / 60W RMS
- 60-20kHz Frequency Response
- 4 Ohm Impedance



WHITE | PC410



BLACK | PC412

PRO CLASSIC | 10" RGB SUBWOOFER

- 10" RGB Illuminated Cone
- 400W Max Power / 300W RMS
- Up To 10kHz Frequency Response
- 4 Ohm Impedance



WHITE | PC310



BLACK | PC312

ECONOMY | 6.5" SPEAKERS

- 6.5" Full Range, Coaxial Speaker
- 80W Max Power
- 83-20kHz Frequency Response
- 4 Ohm Impedance



WHITE | EC121



BLACK | EC122



REMOTES WIRED & WIRELESS REMOTES

From fixed wired inputs and handheld wireless freedom to dynamic color management, this lineup ensures you maintain complete control of the atmosphere from anywhere on board.



WR7 | 7-SERIES WIRED REMOTE

- Compact Design
- Backlit Rubber Buttons
- Compatible With Aquatic AV 7-Series Products: CP7 Waterproof Bluetooth Stereo, And MP6



WR6 | 6-SERIES WIRED REMOTE

- Polished, Stainless Steel Bezel
- Backlit LCD Screen
- Compatible With Aquatic AV 6-Series Products: BLUECUBE6 Series, SWA6 Series, MP6, And CP6



WR5 | 5-SERIES WIRED REMOTE

- Polished, Stainless Steel Bezel
- Backlit LCD Screen
- Compatible With Aquatic AV 5-Series Products: MP5+ Stereo



RF6 | 6-SERIES WIRED REMOTE

- Floating Design, Up To 40 FT Range
- Backlit Rubber Buttons
- Compatible With Aquatic AV 6-Series Products: BLUECUBE6 Series, SWA6 Series, MP6, And CP6



DB200 | DAB+ RECEIVER

- DAB+ Digital Radio Aerial Connector
- Includes DAB+ Receiver And Antenna
- Compatible With Aquatic AV 7-Series Products



DB100 | DAB+ RECEIVER

- DAB+ Digital Radio Aerial Connector
- Includes DAB+ Receiver And Antenna
- Compatible With Aquatic AV 5 & 6-Series Products

MARINE ACCESSORIES | ADAPTORS & EXTENSIONS

WIRED REMOTE ADAPTORS & EXTENSIONS



AQ-UNH-2

TYPE
Wiring Harness For Marine Stereos

WIRE LENGTH
20 CM



AQ-ANT-1

TYPE
AM/FM Di-Pole Antenna

WIRE LENGTH
135 CM



AQ-Y-1

TYPE
Wired Remote Control Splitter Cable



AQ-UNH-2

TYPE
Wired Remote Control Extension Cable

LENGTH OPTIONS
3 FT, 12 FT, 14 FT, 24 FT

RGB ADAPTORS & EXTENSION CABLES



LC301

CONNECTORS
Male RGB Output To Open Wire Cable

WIRE LENGTH
10 IN



LC300

CONNECTORS
Female RGB Output To Open Wire Cable

WIRE LENGTH
10 IN



LC201

CONNECTORS
Male Single Color Output To Open Wire Cable

WIRE LENGTH
10 IN



LC200

CONNECTORS
Female Single Color Output To Open Wire Cable

WIRE LENGTH
10 IN



LC340 | RGB HRB Y-ADAPTOR

OUTPUT CONNECTORS
1x 4 FT Male RGB Output
1x 7 FT Male RGB Output

INPUT CONNECTORS
Female RGB Input To Male RGB Output



RGB M8 Extensions

CONNECTORS
RGB M8 (Male To Female)

LENGTH OPTIONS
LC112: 12 FT
LC107: 24 FT



RGB HRB Extensions

CONNECTORS
RGB HRB (Male To Female)

LENGTH OPTIONS
LC321: 2 FT | LC325: 12 FT
LC323: 6 FT | LC327: 24 FT

AQUATIC AV

PLEASE VISIT OUR WEBSITE TO VIEW THE FULL RANGE OF PRODUCTS AVAILABLE

AQUATICAV.COM

AQUATIC AV

282 Kinney Drive San Jose, CA 95112 USA

USA & Canada: 1 877 579 2782

International: +1 408 559 1668

sales@aquaticav.com

www.aquaticav.com

V1-0126